





2PIN



PCB Layout

Performance characteristics:


1. Main body part material  
Insulator: See part number rule  
Contact terminal: Brass, 1.27 μm Ni under plated,  
outer plating see part number rule

2. Electrical requirements:  
Current rating: 3 A  
Voltage rating: 250 V  
Contact resistance: ≤ 10 mΩ  
Insulation resistance: ≥ 1000 MΩ  
Withstanding voltage: 1000 Vr.m.s, 1mA, 60s

3. Environment specification  
Working temperature: -40°C ~ +105°C

4. Packing & storing  
Method of packing: Plastic bag, small outer box  
Storing condition: Temperature of -10°C ~ +40°C  
below 80% relative humidity

5. Style of installation: Solder PCB installation
6. To prevent the pollution of the environment product info  
RoHS agreement: In line with the european union RoHS.



Unless otherwise specified tolerance:

|     |        |     |      |
|-----|--------|-----|------|
| X.  | ± 0.50 | X.° | ± 3° |
| .X  | ± 0.38 | .X° | ± 2° |
| .XX | ± 0.25 |     |      |

| ①    | 1   | SN-00003561 | An. Cheng  | 2014.04.18 |
|------|-----|-------------|------------|------------|
| ②    | 1   | SN-00000484 | An. Cheng  | 2011.04.23 |
| ③    | 5   | SN-00000650 | An. Cheng  | 2010.7.16  |
| Mark | NO. | File NO.    | Signature  | Date       |
| DRAW |     | J.A         | 2009-02-28 |            |
| CHK  |     |             |            |            |
| MAN  |     |             |            |            |
| STD  |     |             |            |            |
| APP  |     |             |            |            |

2.50mm Pitch wafer  
straight male

1343

|   |      |              |       |
|---|------|--------------|-------|
| SLO.1343.100                                    |      |              |       |
| Projection                                      | Rev. | Weight       | Scale |
|   | A3   |              |       |
| All Dimensions in mm                            |      | Sheet 1 of 1 |       |
| SHINNING SHENZHEN SHINNING ELECTRONIC CO., LTD. |      |              |       |